

服务热线

18066369992



浙江科诺阀门有限公司
ZHEJIANG KONO VALVE CO., LTD

地址 温州市龙湾区滨海园区滨海八路528号
电话 0577-8638 8699
传真 0577-8638 8199
邮箱 konovalve@163.com
QQ 9691776

Address : No. 528 Binhai Eighth Road, Binhai Park, Longwan District, Wenzhou City
Phone : 0577-8638 8699
Fax : 0577-8638 8199
Email : address konovalve@163.com
Q Q : 9691776



了解更多请扫码关注

CHNKONO®
科诺阀门

全系列高平台球阀智造商

INTELLIGENT MANUFACTURER OF ALL SERIES
OF HIGH LEVEL BILLIARDS VALVES

锻钢球阀系列 法兰球阀系列 三通球阀系列 三片式球阀系列 无滞留球阀系列
国标 美标 德标 日标 非标定制

Forged steel ball valve series, flange ball valve series, three-way ball valve series,
three piece ball valve series Non stagnant ball valve series
National standard, American standard, German standard, Japanese standard, non-standard customization

COMPANY PROFILE

公司简介

CHNKONO

浙江科诺阀门有限公司位于温州经济技术开发区滨海产业园区，是一家集产品设计、模具开发、铸造、生产、销售于一体的阀门制造企业。

专业致力于高平台球阀系列，高压、中压、低压球阀、高平台真空球阀系列，高平台法兰球阀系列，高平台锻钢球阀系列，高平台三片式球阀系列，高平台卫生级球阀系列，高平台三通球阀系列，高平台放料阀系列。

公司自创办以来，产品畅销国内外，远销欧美，东南亚，等国家和地区深受国内外客户的一致信赖和好评。我们以“铸造品牌，立足行业。发展全国，走向世界”为目标，创建一流品牌，以合理的价位，完善的售前、售中、售后服务满足广大用户的需求。竭诚欢迎国内外客户参观考察，加强合作，共创辉煌！

Zhejiang Kono Valve Co., Ltd. is located in the Binhai Industrial Park of Wenzhou Economic and Technological Development Zone. It is a valve manufacturing enterprise that integrates product design, mold development, casting, production, and sales.

Specializing in high platform ball valve series, high pressure, medium pressure, low pressure ball valve series, high platform vacuum ball valve series, high platform flange ball valve series, high platform forged steel ball valve series, high platform three piece ball valve series, high platform sanitary ball valve series, high platform three-way ball valve series, and high platform discharge valve series.

Since its establishment, the company's products have been selling well both domestically and internationally, and have been exported to countries and regions such as Europe, America, Southeast Asia, etc., receiving unanimous trust and praise from domestic and foreign customers. Our goal is to "build a brand, establish a foothold in the industry, develop nationwide, and go global", create a first-class brand, and meet the needs of our customers with reasonable prices and comprehensive pre-sales, in sales, and after-sales services. Sincerely welcome domestic and foreign customers to visit and inspect, strengthen cooperation, and create brilliance together!

主导产品Leading products:

真空球阀，内螺纹球阀，快装球阀，无滞留全包球阀，加长焊接球阀，法兰球阀，对夹球阀等。
Vacuum ball valve, internal thread ball valve, quick release ball valve, non retention full package ball valve, extended welded ball valve, flange ball valve, clamp ball valve, etc.

压力范围Pressure range:

PN16-PN320, 150LB, 300LB, 600LB, 900LB, 1500LB, 2500LB

制造标准Manufacturing standards:

国标、美标、德标、日标 GB、ANSI、DIN、JIS

连接方式Connection method:

KF/GU/ISO



BUSINESS ADVANTAGE

企业优势

CHNKONO



- 在激烈的市场竞争中始终以诚信的经营、技术的创新、完善
- 的售后为用户提供全方位服务，让用户与我们紧密协作，共
- 创美好未来！

- In the fierce market competition, we always provide users with a full
- range of services with honest management, technological innovation,
- and perfect after-sales, so that users can work closely with us to
- create a better future!

QUALIFICATION

资质荣誉

CHNKONO



本公司获得的资质和荣誉，
是对我们过去取得成绩的肯定，
也是对我们创造明日辉煌的鼓舞和鞭策！
向新的台阶迈进，
是科诺人顽强拼搏、永不停歇的信念！

The qualifications and honors obtained by the
company are affirmation
of our past achievements. It is also an
encouragement and spur to us to
create tomorrow's glory! Marching to a
new level is the faith of Kenuo
people to work hard and never stop!

MARKETING NETWORK 营销网络

CHNKONO



我们将坚持走“国际化、科技化、产业化、规模化”发展目标，大力引进先进设备、企业管 理与技术服务人才全力打造国内国际性阀门优质品牌。产品远销美国，德国，意大利，新加坡，加拿大，墨西哥，日本，韩国，马来西亚，印度尼西亚，南非，巴西以及中东等国际市场。

We will adhere to the development goals of "internationalization, technology, industrialization, and scale". Vigorously introduce advanced equipment, enterprise management and technical service talents to build a domestic and international high-quality valve brand. Products are exported to the United States, Germany, Italy, Singapore, Canada, Mexico, Japan, South Korea, Malaysia, Indonesia, South Africa, Brazil and the Middle East and other international markets.



2000+
客户群体（位）



2000+
销售量（万）





100+
覆盖区域（个）



2000+
合作伙伴（位）

高平台三通KF真空球阀

High platform three-way KF vacuum ball valve





主要外形尺寸表 Main external dimensions table

规格Φ	d	L	D	H	C	A
KF16	12	105	30	47.5	9*9	F04-05
KF25	18	117	40	54	11*11	F04-05
KF40	32	170	55	79	14*14	F05-07
KF50	38	190	75	86.3	14*14	F05-07



1000型高平台三片式法兰球阀 (PN63)

1000 Type high platform 3PC flange ball valve (PN63)





主要外形尺寸表 Main external dimensions table

规格	D	E	DG	D	H	L	f+t	H	A	C
DN15	15	45	65	95	4*14	130	14+2	49.5	F04-F05	9*9
DN20	20	58	75	105	4*14	150	16+2	52	F04-F05	9*9
DN25	25	67	85	115	4*14	160	16+2	61	F04-F05	11*11
DN32	32	77	100	135	4*18	180	16+2	66	F04-F05	11*11
DN40	38	86	110	150	4*18	200	16+2	76.2	F05-F07	14*14
DN50	50	103	125	165	4*18	230	16+2	85.5	F05-F07	14*14
DN65	65	122	145	180	4*18	290	18+2	107	F07-F10	17*17
DN80	76	138	160	200	8*18	310	18+2	115.5	F07-F10	17*17
DN100	100	162	190	235	8*22	350	18+2	138	F07-F10	19*19



1000型高平台三片式加长焊接球阀 (PN63)

1000 Type high platform 3PC extended welded ball valve (Pn63)





主要外形尺寸表 Main external dimensions table

规格Φ	d	L	D	H	C	A
DN15	15	150	22.2	49.5	9*9	F04-F05
DN20	20	155	29	52	9*9	F04-F05
DN25	25	186	35	61	11*11	F04-F05
DN32	32	195	43.1	66	11*11	F04-F05
DN40	38	231	49.5	76.2	14*14	F05-F07
DN50	50	243	63	85.5	14*14	F05-F07
DN65	65	290	77.8	107	17*17	F07-F10
DN80	76	302	91.7	115.5	17*17	F07-F10
DN100	100	326	117.7	138	19*19	F07-F10

1000型高平台三片式快装球阀

1000 High Platform 3PC Quick Install Ball Valve





主要外形尺寸表 Main external dimensions table

规格	d	L	D	H	C	A	E
DN15	15	97	Φ50.5	49.5	Φ19	F04-F05	9*9
DN20	20	109	Φ50.5	52	Φ25	F04-F05	9*9
DN25	25	115	Φ50.5	61	Φ32	F04-F05	11*11
DN32	32	125	Φ50.5	66	Φ38	F04-F05	11*11
DN40	38	138	Φ50.5	76.2	Φ45	F05-F07	14*14
DN40	38	144	Φ64	76.2	Φ45	F05-F07	14*14
DN50	50	156	Φ64	85.5	Φ51	F05-F07	14*14
DN50	50	170	Φ77.5	85.5	Φ51	F05-F07	14*14
DN65	65	197	Φ91	107	Φ76	F07-F10	17*17
DN80	76	220	Φ106	115.5	Φ89	F07-F10	17*17
DN100	100	242	Φ119	138	Φ108	F07-F10	19*19

1000型高平台三片式内螺纹球阀 (PN63)

1000 High platform 3PC internal thread ball valve (Pn63)





主要外形尺寸表 Main external dimensions table

规格Φ	d	L	G	H	C	A
DN15	15	75	RC1/2	49.5	9*9	F04-F05
DN20	20	85	RC3/4	52	9*9	F04-F05
DN25	25	90	RC1	61	11*11	F04-F05
DN32	32	112	RC11/4	66	11*11	F04-F05
DN40	38	120	RC11/4	76.2	14*14	F05-F07
DN50	50	145	RC2	85.5	14*14	F05-F07
DN65	65	170	RC21/2	107	17*17	F07-F10
DN80	76	200	RC3	115.5	17*17	F07-F10
DN100	100	240	RC4	138	19*19	F07-F10

2000型高平台三片式内螺纹球阀 (PN110)

2000 High platform 3PC internal thread ball valve (Pn110)





主要外形尺寸表 Main external dimensions table

规格Φ	d	L	G	H	C	A
DN15	15	75	RC1/2	50	9*9	F04-F05
DN20	20	85	RC3/4	54	9*9	F04-F05
DN25	25	90	RC1	62.5	11*11	F04-F05
DN32	32	112	RC11/4	67.5	11*11	F04-F05
DN40	38	120	RC11/4	80	14*14	F05-F07
DN50	50	145	RC2	87	14*14	F05-F07

高平台三片式内螺纹球阀 (PN16)

High platform three piece internal thread ball valve (Pn16)





主要外形尺寸表 Main external dimensions table

规格Φ	G	D	L	H	C	A
DN15	1/2"	15	69.5	48	9*9	F04-F05
DN20	3/4"	20	84.5	55	9*9	F04-F05
DN25	1"	25	87	56	11*11	F04-F05
DN32	1 1/4"	32	98.5	62	11*11	F04-F05
DN40	1 1/2"	38	111	75	14*14	F05-F07
DN50	2"	50	134.5	83	14*14	F05-F07
DN65	2.5"	65	164	98	17*17	F07-F10
DN80	3"	76	191	109	17*17	F07-F10
DN100	4"	100	248	112	19*19	F07-F10

高平台三片式快装球阀

High platform three piece quick installation ball valve





主要外形尺寸表 Main external dimensions table

规格	d	D	H	L	C	A	E
DN15	15	50.5	48	97	Φ19	F04-F05	9*9
DN20	20	50.5	55	109	Φ25	F04-F05	9*9
DN25	25	50.5	56	123	Φ32	F04-F05	11*11
DN32	32	50.5	62	125.5	Φ38	F04-F05	11*11
DN40小盘	38	50.5	75	144.5	Φ45	F05-F07	14*14
DN40大盘	38	64	75	143.5	Φ45	F05-F07	14*14
DN50小盘	49	64	83	159	Φ51	F05-F07	14*14
DN50大盘	49	77.5	83	157	Φ51	F05-F07	14*14
DN65	65	91	98	180	Φ76	F07-F10	17*17
DN80	80	106	109	202	Φ89	F07-F10	17*17
DN100	100	119	112	248	Φ108	F07-F10	19*19

高平台三片式KF真空球阀

High platform three piece KF vacuum ball valve



主要外形尺寸表 Main external dimensions table

规格Φ	d	D	H	L	C	A
KF16	15	30	48	100	11*11	F04-F05
KF25	25	40	56	114	11*11	F04-F05
KF40	38	55	75	165	14*14	F05-F07
KF50	49	75	83	175	14*14	F05-F07
KF63	65	87	98	186	17*17	F07-F10
KF80	80	114	109	198	17*17	F07-F10
KF100	100	134	112	220	19*19	F07-F10



高平台国标法兰球阀（化工部）



High platform national standard flange ball valve (Ministry of Chemical Industry)

性能规范 Performance specifications

壳体试验压力: 2.4/3.75/6.0MPa
密封试验压力: 1.76/2.75/4.4MPa
气密封试验压力: 0.6MPa
工作温度: -29°C~150°C
适用介质: 水、油、气体等
Shell test pressure: 2.4/3.75/6.0MPa
Sealing test pressure: 1.76/2.75/4.4MPa
Sealing test pressure: 0.6MPa
Working temperature: -29°C~150°C
Applicable media: water, oil, gas, etc

技术要求 Technical requirement

1. 阀门设计制造按GB/T 12237规定。
2. 阀门结构长度GB/T 12221。
3. 法兰依据HG/T20592形式规定。
4. 阀门检验和验收依据JB/T 9092规定。



HG/T20592 法兰尺寸 (RF)



PN	DN	L	D	D1	D2	T	f	n-Φd
16至25	15	130	95	65	46	16	2	4-Φ14
	20	130	105	75	56	18	2	4-Φ14
	25	140	115	85	65	18	2	4-Φ14
	32	165	140	100	76	18	2	4-Φ18
	40	165	150	110	84	18	2	4-Φ18
	50	203	165	125	99	18	2	4-Φ18
16	65	222	185	145	118	18	2	8-Φ18
	80	241	200	160	132	20	2	8-Φ18
	100	305	220	180	156	20	2	8-Φ18
	125	356	250	210	184	22	2	8-Φ18
	150	394	285	240	211	22	2	8-Φ22
	200	457	340	295	266	24	2	12-Φ22

HG/T20592 法兰尺寸 (RF)

PN	DN	L	D	D1	D2	T	f	n-Φd
16至40	15	130	95	65	46	16	2	4-Φ14
	20	130	105	75	56	18	2	4-Φ14
	25	140	115	85	65	18	2	4-Φ14
	32	165	140	100	76	18	2	4-Φ18
	40	165	150	110	84	18	2	4-Φ18
	50	203	165	125	99	20	2	4-Φ18
25至40	65	241	185	145	118	22	2	8-Φ18
	80	283	200	160	132	24	2	8-Φ18
	100	305	235	190	156	24	2	8-Φ22
	125	381	270	220	184	26	2	8-Φ26
	150	403	300	250	211	28	2	8-Φ26
	200	502	360	310	274	30	2	12-Φ26

高平台三通内螺纹球阀

High platform three-way internal thread ball valve





主要外形尺寸表 Main external dimensions table

规格Φ	d	L	L1	H	C	A
DN15	12	70	35	47.5	9*9	F04-F05
DN20	15	84.5	42.25	50.5	9*9	F04-F05
DN25	18	90	45	54	11*11	F04-F05
DN32	25	122.5	61.25	65	11*11	F04-F05
DN40	32	140	70	79	14*14	F05-F07
DN50	38	153	76.5	86.3	14*14	F05-F07

高平台三通快装球阀

High platform three-way quick installation ball valve



主要外形尺寸表 Main external dimensions table

规格Φ	d	L	L1	H	C	A
DN15	12	104.5	52.25	47.5	9*9	F04-F05
DN20	15	114	57	50.5	9*9	F04-F05
DN25	18	116	58	54	11*11	F04-F05
DN32	25	145	72.5	65	11*11	F04-F05
DN40	32	170	58.5	79	14*14	F05-F07
DN50	38	190	95	86.3	14*14	F05-F07